

Jeep**Cherokee**

2001-1997	4.0L L6	Transfer Case Assembly, Without Motor		4WD, AW4 Trans Code, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ One piece tail hsg. w/rubber boot, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-2
2001-1997	4.0L L6	Transfer Case Assembly w/SYE, Without Motor		4WD, AW4 Trans Code, Different drive shaft and other components are needed with these units (Not Supplied), Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & w/ 1 pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-2FY
2001-1997	All	Transfer Case Assembly, Without Motor		4WD, Selec-Trac, w/o export package, Housing Color: Natural Media Blasted, Front Output Type: Fixed Style Yoke, Rear Output Type: Slip Yoke w/ 1 pc tail hsg. w/ rubber boot, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP242J	UMT208-2
2000-1997	All	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ rubber boot, Input Shaft Splines: 21 w/ 0.750" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ Speedometer Hole	New Process	NP231J	UMT207-7
2000-1997	All	Transfer Case Assembly w/SYE, Without Motor		4WD, Different drive shaft and other components are needed with these units (Not Supplied), Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 21 w/ 0.750" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-7FY
1993-1991	All	Transfer Case Assembly, Without Motor		4WD, Select-Trac, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 0.750" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP242J	UMT208-3
1993	All	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two piece Tail Housing, Input Shaft Splines: 23 w/0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-1
1992-1991	All	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-6

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Cherokee (cont'd)							
1992-1989	All	Transfer Case Assembly w/SYE, Without Motor		4WD, Different drive shaft and other components are needed with these units (Not Supplied), Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed (conversion kit) w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-6FY
1990-1989	All	Transfer Case Assembly, Without Motor		4WD, 21 Input Splines, 0.750" Exposed Shaft Length, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w Two pc tail hsg., Input Shaft Splines: 21 w/ 0.750" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-5
1990-1989	All	Transfer Case Assembly, Without Motor		4WD, 23 Input Splines, 0.840" Exposed Shaft Length, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-6
CJ5							
1983-1981	All	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke, Input Shaft Splines: 23	Dana	Dana 300	UMT207-11
CJ7							
1986-1981	All	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke, Input Shaft Splines: 23	Dana	Dana 300	UMT207-11
Comanche							
1990	All	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-6
1989	All	Transfer Case Assembly, Without Motor		4WD, 21 Input Splines, 0.750" Exposed Shaft Length, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w Two pc tail hsg., Input Shaft Splines: 21 w/ 0.750" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-5
1989	All	Transfer Case Assembly, Without Motor		4WD, 23 Input Splines, 0.840" Exposed Shaft Length, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-6

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Commander							
2010-2006	3.7L V6	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange w/ Bolt on Damper, Input Shaft Splines: Both Internal & External, Shift Operation: Electric	New Process	NP245J	UMT245-1M
2010-2006	3.7L V6	Transfer Case Assembly, Without Motor		4WD, Electric Shift, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange w/ Bolt on Damper, Input Shaft Splines: Both Internal & External, Shift Operation: Electric	New Process	NP245J	UMT245-1
2010-2006	3.7L V6	Transfer Case Assembly, Without Motor		Manual Shift, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Circular Flange, Input Shaft Splines: 26 External Spline, Shift Operation: Manual	New Venture	NV140	UMT240
2010-2006	5.7L V8	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange, Input Shaft Splines: 23 w/ 1.750" Exposed Shaft Length, Shift Operation: Electric	New Process	NV245J	UMT245M
2010-2006	5.7L V8	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange, Input Shaft Splines: 23 w/ 1.750" Exposed Shaft Length, Shift Operation: Electric	New Venture	NV245J	UMT245
2009-2006	4.7L V8	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange, Input Shaft Splines: 23 w/ 1.750" Exposed Shaft Length, Shift Operation: Electric	New Process	NV245J	UMT245M
2009-2006	4.7L V8	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange, Input Shaft Splines: 23 w/ 1.750" Exposed Shaft Length, Shift Operation: Electric	New Venture	NV245J	UMT245
Compass							
2017-2007	All	Power Transfer Unit		4WD			PTU300
2017-2007	All	Power Transfer Unit		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup			PTU260
Grand Cherokee							
2016-2014	3.0L V6	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blast, Front Output Type: Cup Yoke, Rear Output Type: Cup Yoke, Input Shaft Splines: 23, Shift Operation: Electric, Speeds: 2, Full or Part Time: Full	Magna Powertrain	MP3023	UMT245-6M
2016-2014	3.0L V6	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blast, Front Output Type: Cup Yoke, Rear Output Type: Cup Yoke, Input Shaft Splines: 23, Shift Operation: Electric, Speeds: 2, Full or Part Time: Full	Magna Powertrain	MP3023	UMT245-6
2016-2014	3.6L V6	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blast, Front Output Type: Cup Yoke, Rear Output Type: Cup Yoke, Input Shaft Splines: 23, Shift Operation: Electric, Speeds: 2, Full or Part Time: Full	Magna Powertrain	MP3023	UMT245-6M
2016-2014	3.6L V6	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blast, Front Output Type: Cup Yoke, Rear Output Type: Cup Yoke, Input Shaft Splines: 23, Shift Operation: Electric, Speeds: 2, Full or Part Time: Full	Magna Powertrain	MP3023	UMT245-6

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Grand Cherokee (cont'd)							
2016-2011	5.7L V8	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blast, Front Output Type: Cup Yoke, Rear Output Type: Cup Yoke, Input Shaft Splines: 23, Shift Operation: Electric, Speeds: 2, Full or Part Time: Full	Magna Powertrain	MP3023	UMT245-6M
2016-2011	5.7L V8	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blast, Front Output Type: Cup Yoke, Rear Output Type: Cup Yoke, Input Shaft Splines: 23, Shift Operation: Electric, Speeds: 2, Full or Part Time: Full	Magna Powertrain	MP3023	UMT245-6
2013-2012	6.4L V8	Transfer Case Assembly, With Motor		SRT8, AWD, Housing Color: Natural Media Blast, Front Output Type: Cup, Rear Output Type: Cup 4.5" OD, Input Shaft Splines: 26, Shift Operation: Electric, Speeds: 1, Full or Part Time: Active	Magna Powertrain	MP3010	UMT245-7M
2013-2012	6.4L V8	Transfer Case Assembly, Without Motor		SRT8, AWD, Housing Color: Natural Media Blast, Front Output Type: Cup, Rear Output Type: Cup 4.5" OD, Input Shaft Splines: 26, Shift Operation: Electric, Speeds: 1, Full or Part Time: Active	Magna Powertrain	MP3010	UMT245-7
2013-2011	3.6L V6	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blast, Front Output Type: Cup Yoke, Rear Output Type: Cup Yoke, Input Shaft Splines: 26, Speeds: 2, Full or Part Time: Full	Magna Powertrain	MP3023	UMT245-5M
2013-2011	3.6L V6	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blast, Front Output Type: Cup Yoke, Input Shaft Splines: 26, Shift Operation: Electric, Speeds: 2, Full or Part Time: Full	Magna Powertrain	MP3023	UMT245-5
2010-2009	3.7L V6	Transfer Case Assembly, Without Motor		Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Circular Flange, Input Shaft Splines: 26 External Spline, Shift Operation: Manual	New Venture	NV140	UMT240
2010-2006	6.1L V8	Transfer Case Assembly, With Motor		SINGLE SPEED WITH CLUTCH PACK, NO SENSOR HOLES, Housing Color: NATURAL MEDIA BLASTER, Front Output Type: CUPPED YOKE, Rear Output Type: FLAT CIRCULAR YOKE, Input Shaft Splines: 26 EXTERNAL, Speeds: SINGLE	NEW PROCESS	NP146J	UMT250M
2010-2006	6.1L V8	Transfer Case Assembly, Without Motor		SINGLE SPEED WITH CLUTCH PACK, NO SENSOR HOLES			UMT250
2010-2005	5.7L V8	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange, Input Shaft Splines: 23 w/ 1.750" Exposed Shaft Length, Shift Operation: Electric	New Process	NV245J	UMT245M
2010-2005	5.7L V8	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange, Input Shaft Splines: 23 w/ 1.750" Exposed Shaft Length, Shift Operation: Electric	New Venture	NV245J	UMT245
2009-2007	3.0L V6	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange w/ Bolt on Damper, Input Shaft Splines: External Only, Shift Operation: Electric	New Process	NP245J	UMT245-2M
2009-2007	3.0L V6	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange w/ Bolt on Damper, Input Shaft Splines: External Only, Shift Operation: Electric	New Process	NP245J	UMT245-2

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Grand Cherokee (cont'd)							
2009-2005	4.7L V8	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange, Input Shaft Splines: 23 w/ 1.750" Exposed Shaft Length, Shift Operation: Electric	New Process	NV245J	UMT245M
2009-2005	4.7L V8	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange, Input Shaft Splines: 23 w/ 1.750" Exposed Shaft Length, Shift Operation: Electric	New Venture	NV245J	UMT245
2008-2006	3.7L V6	Transfer Case Assembly, With Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange w/ Bolt on Damper, Input Shaft Splines: Both Internal & External, Shift Operation: Electric	New Process	NP245J	UMT245-1M
2008-2006	3.7L V6	Transfer Case Assembly, Without Motor		4WD, Electric Shift, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Flange w/ Bolt on Damper, Input Shaft Splines: Both Internal & External, Shift Operation: Electric	New Process	NP245J	UMT245-1
2008-2005	3.7L V6	Transfer Case Assembly, Without Motor		Manual Shift, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Circular Flange, Input Shaft Splines: 26 External Spline, Shift Operation: Manual	New Venture	NV140	UMT240
2004-2002	4.0L L6	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/o Speedometer Hole	New Process	NP242J	UMT208-10
2004-2001	All	Transfer Case Assembly, Without Motor		AWD, w/ Viscous clutch, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Input Shaft Splines: 23 w/ 2.500" Exposed Shaft Length, Shift Operation: Manual	New Venture	NV247J	UMT208-8A
2004	4.0L L6	Transfer Case Assembly, Without Motor		Quadra-Trac, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual	New Process	NP247J	UMT208-9
2004	All	Transfer Case Assembly, Without Motor		AWD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23, Output Shaft Splines: 27, Shift Operation: Manual, Speeds: Single Speed	New Venture	NV147	UMT220
2003-2002	4.7L V8	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 2.500" Exposed Shaft Length, Output Shaft Splines: 32, Shift Operation: Manual, Speedometer Type: w/o Speedometer Hole	New Process	NP242J HD	UMT208-11
2003-1999	4.0L L6	Transfer Case Assembly, Without Motor		AWD, Quadra-Trac, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual	New Process	NP247J	UMT208-9

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Grand Cherokee (cont'd)							
2001-2000	4.7L V8	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Fixed Style Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 2.500" Exposed Shaft Length, Output Shaft Splines: 32, Shift Operation: Manual, Speedometer Type: w/o Speedometer Hole	New Process	NP242J	UMT208-13
2001-1999	4.0L L6	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Slip Yoke w/ rubber boot, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Speedometer Type: w/o Speedometer Hole	New Process	NP242J	UMT208-4
2000-1999	4.7L V8	Transfer Case Assembly, Without Motor		4WD, w/ Viscous clutch, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 2.500" Exposed Shaft Length, Shift Operation: Manual	New Process	NP247J	UMT208-8
1998-1996	All	Transfer Case Assembly, Without Motor		4WD, One pc tail hsg, Selec-Trac, Housing Color: Natural Media Blasted, Front Output Type: Fixed Style Yoke, Rear Output Type: Slip Yoke w/ 1 pc tail hsg. w/ rubber boot, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP242J	UMT208-2
1998-1996	All	Transfer Case Assembly, Without Motor		4WD, Quadra-Trac, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP249J	UMT209-1
1996-1994	All	Transfer Case Assembly, Without Motor		4WD, Two pc tail hsg, Selec-Trac, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length w/pilot bushing, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP242J	UMT208-6
1995	5.2L V8	Transfer Case Assembly, Without Motor		4WD, Quadra-Trac, w/ Viscous clutch, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP249J	UMT209-2
1995	All	Transfer Case Assembly, Without Motor		4WD, Command-Trac, Two pc tail hsg, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length w/pilot bushing, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-8

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Grand Cherokee (cont'd)							
1995	All	Transfer Case Assembly, Without Motor		4WD, One pc tail hsg, Housing Color: Natural Media Blasted, Front Output Type: Fixed Style Yoke, Rear Output Type: Slip Yoke w/ 1 pc tail hsg. w/ rubber boot, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP242J	UMT208-2
1995	All	Transfer Case Assembly, Without Motor		4WD, w/ Viscous clutch, Quadra-Trac, 6 Cylinder, ID 52097530, ID 52098532, Housing Color: Natural Media Blasted, Front Output Type: Cup Style Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ Speedometer Hole	New Process	NP249J	UMT209-3
1994	5.2L V8	Transfer Case Assembly, Without Motor		4WD, Quadra-Trac, w/ Viscous clutch, ID 52097529, ID 52098539, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP249J	UMT209-2
1994	All	Transfer Case Assembly, Without Motor		4WD, A/T, Two pc tail hsg, Command-Trac, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length w/pilot bushing, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-8
1994	All	Transfer Case Assembly, Without Motor		4WD, w/ Viscous clutch, Quadra-Trac, 6 Cylinder, Housing Color: Natural Media Blasted, Front Output Type: Cup Style Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ Speedometer Hole	New Process	NP249J	UMT209-3
1993	5.2L V8	Transfer Case Assembly, Without Motor		4WD, Quadra-Trac, w/ Viscous clutch, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP249J	UMT209-2
1993	All	Transfer Case Assembly, Without Motor		4WD, 42RE Trans Code, w/ Viscous clutch, Quadra-Trac, 6 Cylinder, Housing Color: Natural Media Blasted, Front Output Type: Cup Style Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ Speedometer Hole	New Process	NP249J	UMT209-3

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Grand Cherokee (cont'd)							
1993	All	Transfer Case Assembly, Without Motor		4WD, A/T, 42RE Trans Code, Command-Trac, Two pc tail hsg, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length w/pilot bushing, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-8
Grand Wagoneer							
1993	All	Transfer Case Assembly, Without Motor		4WD, Quadra-Trac, w/ Viscous clutch, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP249J	UMT209-2
Liberty							
2012-2008	3.7L V6	Transfer Case Assembly, With Motor		4WD, MP1522, 12 Mounting Holes, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Circular Flange, Input Shaft Splines: 23, Shift Operation: Electric	Magna	MP1522	UMT245-3M
2012-2008	3.7L V6	Transfer Case Assembly, With Motor		4WD, MP3022, 6 Mounting Holes, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Circular Flange, Input Shaft Splines: 23, Shift Operation: Electric	Magna	MP3022	UMT245-4M
2012-2008	3.7L V6	Transfer Case Assembly, Without Motor		4WD, MP1522, 12 Mounting Holes, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Circular Flange, Input Shaft Splines: 23, Shift Operation: Electric	Magna	MP1522	UMT245-3
2012-2008	3.7L V6	Transfer Case Assembly, Without Motor		4WD, MP3022, 6 Mounting Holes, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Circular Flange, Input Shaft Splines: 23, Shift Operation: Electric	Magna	MP3022	UMT245-4
2007-2005	All	Transfer Case Assembly, Without Motor		4WD, 27 Output Splines, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Slip Yoke w/ rubber boot, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual	New Process	NP242J	UMT208-12
2007-2002	All	Transfer Case Assembly, Without Motor		4WD, 32 Output Splines, Command Trac, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Slip Yoke, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 32, Shift Operation: Manual, Speedometer Type: w/o Speedometer Hole	New Process	NP231J	UMT207-13
2004-2002	All	Transfer Case Assembly, Without Motor		4WD, 27 Output Splines, Model: 242J, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Slip Yoke w/ rubber boot, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual	New Process	NP242J	UMT208-12

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Patriot							
2017-2007	All	Power Transfer Unit		4WD			PTU300
2017-2007	All	Power Transfer Unit		4WD, Housing Color: Natural Media Blasted, Front Output Type: Cup			PTU260
Scrambler / CJ8							
1985-1981	All	Transfer Case Assembly, Without Motor		4WD, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke, Input Shaft Splines: 23	Dana	Dana 300	UMT207-11
Wrangler							
2015-2007	All	Transfer Case Assembly, Without Motor		4WD, NSG370 Trans Code, 2nd Generation, Planetary Gear: 2.72 to 1 Reduction, Planetary Gear: 4-1 Reduction, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Cup Yoke w/damper, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length, Shift Operation: Manual	New Process	NP241J	UMT207-17
2011-2007	3.8L V6	Transfer Case Assembly, Without Motor		4WD, A/T, 42RLE Trans Code, 2nd Generation, Planetary Gear: 2.72 to 1 Reduction, Housing Color: Natural Media Blasted, Front Output Type: Cup Yoke, Rear Output Type: Cup Yoke, Input Shaft Splines: 21 w/ 0.840" Exposed Shaft Length, Shift Operation: Manual	New Process	NP241J	UMT207-16
2006-2005	All	Transfer Case Assembly, Without Motor		4WD, NSG370 Trans Code, Housing Color: Natural Media Blasted, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length w/ 1 pc tail hsg., Output Shaft Splines: 27, Shift Operation: Manual	New Process	NP231J	UMT207-15
2006-2005	All	Transfer Case Assembly w/SYE, Without Motor		4WD, NSG370 Trans Code, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft, Output Shaft Splines: 27, Shift Operation: Manual	New Process	NP231J	UMT207-15FY
2004-2003	All	Transfer Case Assembly, Without Motor		4WD, NV3550 Trans Code, Housing Color: Natural Media Blasted, Input Shaft Splines: 23 w/ 0.840" Exposed Shaft Length w/ 1 pc tail hsg., Output Shaft Splines: 27, Shift Operation: Manual	New Process	NP231J	UMT207-15
2004-2003	All	Transfer Case Assembly w/SYE, Without Motor		4WD, NV3550 Trans Code, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 23 w/ 0.840" Exposed Shaft, Output Shaft Splines: 27, Shift Operation: Manual	New Process	NP231J	UMT207-15FY
2002-2000	All	Transfer Case Assembly, Without Motor		4WD, 1.550" Exposed Shaft Length, 23 Input Splines, Balancer bolted on Rear, Housing Color: Natural Media Blasted, Input Shaft Splines: 23 w/ 1.550" Exposed Length w/ rubber boot (damper not included), Output Shaft Splines: 27 w/ One piece Tail Housing	New Process	NP231J	UMT207-12

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Wrangler (cont'd)							
2002-2000	All	Transfer Case Assembly w/SYE, Without Motor		4WD, Fixed Yoke, w/ Slip Yoke Eliminator, 1.550" Exposed Shaft Length, 23 Input Splines, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) w/ 1 pc tail hsg, Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length (harmonic balancer not included)	New Process	NP231J	UMT207-12FY
2002-1998	All	Transfer Case Assembly, Without Motor		4WD, 0.750" Exposed Shaft Length, 21 Input Splines, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ rubber boot, Input Shaft Splines: 21 w/ 0.750" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ Speedometer Hole	New Process	NP231J	UMT207-7
2002-1997	All	Transfer Case Assembly, Without Motor		4WD, 1.550" Exposed Shaft Length, 23 Input Splines, Slinger bolted on Rear, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ 1 pc tail hsg. w/ rubber boot, Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-3
2002	All	Transfer Case Assembly w/SYE, Without Motor		4WD, Different drive shaft and other components are needed with these units (Not Supplied), Fixed Yoke, w/ Slip Yoke Eliminator, 1.550" Exposed Shaft Length, 23 Input Splines, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-3FY
2001-1997	All	Transfer Case Assembly w/SYE, Without Motor		4WD, Different drive shaft and other components are needed with these units (Not Supplied), Fixed Yoke, Slip Yoke Eliminator, 0.750" Exposed Shaft Length, 21 Input Splines, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 21 w/ 0.750" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-7FY
2001	All	Transfer Case Assembly w/SYE, Without Motor		4WD, Different drive shaft and other components are needed with these units (Not Supplied), Fixed Yoke, w/ Slip Yoke Eliminator, 1.550" Exposed Shaft Length, 23 Input Splines, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-3FY

Year	Engine	Product Type	Position	Application Details	OES	OES Model	Part No.
Jeep (cont'd)							
Wrangler (cont'd)							
2000-1999	All	Transfer Case Assembly w/SYE, Without Motor		4WD, Different drive shaft and other components are needed with these units (Not Supplied), Fixed Yoke, Slip Yoke Eliminator, 1.550" Exposed Shaft Length, 23 Input Splines, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-3FY
1998-1997	All	Transfer Case Assembly w/SYE, Without Motor		4WD, Different drive shaft and other components are needed with these units (Not Supplied), Fixed Yoke, Slip Yoke Eliminator, 1.550" Exposed Shaft Length, 23 Input Splines, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-3FY
1997	All	Transfer Case Assembly, Without Motor		4WD, 0.750" Exposed Shaft Length, 21 Input Shafts, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ rubber boot, Input Shaft Splines: 21 w/ 0.750" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ Speedometer Hole	New Process	NP231J	UMT207-7
1992-1991	4.0L L6	Transfer Case Assembly, Without Motor		4WD, A/T, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Slip Yoke w/ Two piece Tail Housing, Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-10
1992-1991	4.0L L6	Transfer Case Assembly w/SYE, Without Motor		4WD, A/T, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 23 w/ 1.550" Exposed Shaft Length, Shift Operation: Manual	New Process	NP231J	UMT207-10FY
1992-1991	All	Transfer Case Assembly, Without Motor		4WD, 0.750" Exposed Shaft Length, 21 Input Splines, Housing Color: Natural Media Blasted, Front Output Type: Fixed Style Yoke, Rear Output Type: Slip Yoke w/ Two piece tail hsg., Input Shaft Splines: 21 w/ 0.750" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual, Speedometer Type: w/ 1.75" Speedometer Hole	New Process	NP231J	UMT207-4

1992-1991	All	Transfer Case Assembly w/SYE, Without Motor		4WD, Different drive shaft and other components are needed with these units (Not Supplied), Slip Yoke Eliminator, 0.750" Exposed Shaft Length, 23 Input Splines, Housing Color: Natural Media Blasted, Front Output Type: Fixed Yoke, Rear Output Type: Fixed Yoke w/ Slip Yoke Eliminator (SYE) & 1 pc tail hsg., Input Shaft Splines: 23 w/ 0.750" Exposed Shaft Length, Output Shaft Splines: 27, Shift Operation: Manual	New Process	NP231J UMT207-4FY
-----------	-----	---------------------------------------------	--	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------	--------------------------